

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dim	Address
(3)	Pro Cat FOH	11	Chauvet COLORado 2 Quad Zoom Tour 205w				2/169 = 681
(4)	Pro Cat FOH	6	Chauvet COLORado 2 Quad Zoom Tour 205w				2/157 = 669
(5)	Pro Cat FOH	1	Chauvet COLORado 2 Quad Zoom Tour 205w				2/145 = 657
(6)	Line Set 8	14	Chauvet COLORdash Par Hex 12 96w				4/485 = 2021
(7)	Line Set 8	4	Chauvet COLORdash Par Hex 12 96w				4/96 = 1632
(8)	Line Set 16	15	Chauvet SlimPAR Pro RGBA 90w				6/114 = 2674
	"	17	"				6/129 = 2689
(9)	Line Set 16	10	Chauvet SlimPAR Pro RGBA 90w				6/73 = 2633
	"	13	"				6/104 = 2664
(10)	Line Set 16	6	Chauvet SlimPAR Pro RGBA 90w				6/53 = 2613
	"	8	"				6/63 = 2623
(11)	Line Set 16	14	Chauvet SlimPAR Pro RGBA 90w				6/109 = 2669
	"	16	"				6/119 = 2679
(12)	Line Set 16	9	Chauvet SlimPAR Pro RGBA 90w				6/68 = 2628
	"	12	"				6/99 = 2659
(13)	Line Set 16	5	Chauvet SlimPAR Pro RGBA 90w				6/43 = 2603
	"	7	"				6/58 = 2618
(14)	Line Set 16	21	Chauvet COLORado 2 Quad Zoom Tour 205w				2/133 = 645
(15)	Line Set 16	1	Chauvet COLORado 2 Quad Zoom Tour 205w				2/121 = 633
(101)	Line Set 8	16	Chauvet Legend 330SR Spot 514w				5/22 = 2070

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dim	Address
(102)	Line Set 8	9	Chauvet Legend 330SR Spot 514w				4/284 = 1820
(103)	Line Set 8	2	Chauvet Legend 330SR Spot 514w				4/22 = 1558
(104)	Line Set 16	19	Chauvet Legend 330SR Spot 514w				6/134 = 2694
(105)	Line Set 16	3	Chauvet Legend 330SR Spot 514w				6/22 = 2582
(106)	STAGE	7	Chauvet Legend 330SR Spot 514w				2/197 = 709
(107)	STAGE	6	Chauvet Legend 330SR Spot 514w				2/218 = 730
(108)	STAGE	5	Chauvet Legend 330SR Spot 514w				2/239 = 751
(109)	2nd Cat	2	VL 880 800w			97	2/31 = 543
(110)	2nd Cat	1	VL 880 800w			98	2/1 = 513
(201)	Line Set 8	17	Chauvet Q Wash 419 Z 322w				5/1 = 2049
(202)	Line Set 8	11	Chauvet Q Wash 419 Z 322w				4/358 = 1894
(203)	Line Set 8	7	Chauvet Q Wash 419 Z 322w				4/210 = 1746
(204)	Line Set 8	1	Chauvet Q Wash 419 Z 322w				4/1 = 1537
(205)	Line Set 16	20	Chauvet Q Wash 419 Z 322w				6/155 = 2715
(207)	Line Set 16	11	Chauvet Q Wash 419 Z 322w				6/78 = 2638
(208)	Line Set 16	2	Chauvet Q Wash 419 Z 322w				6/1 = 2561
(301)	Line Set 8	15	Chauvet COLORdash Batten Hex 8 86w				5/43 = 2091
(302)	Line Set 8	13	Chauvet COLORdash Batten Hex 8 86w				4/432 = 1968

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dim	Address
(303)	Line Set 8	12	Chauvet COLORdash Batten Hex 8 86w				4/379 = 1915
(304)	Line Set 8	10	Chauvet COLORdash Batten Hex 8 86w				4/305 = 1841
(305)	Line Set 8	8	Chauvet COLORdash Batten Hex 8 86w				4/231 = 1767
(306)	Line Set 8	6	Chauvet COLORdash Batten Hex 8 86w				4/157 = 1693
(307)	Line Set 8	5	Chauvet COLORdash Batten Hex 8 86w				4/104 = 1640
(308)	Line Set 8	3	Chauvet COLORdash Batten Hex 8 86w				4/43 = 1579
(401)	Line Set 7	5	Martin Atomic 3000 DMX 3kW			12	3/1 = 1025
(402)	Line Set 16	18	Chauvet Strike 882 473w				6/124 = 2684
(403)	Line Set 16	4	Chauvet Strike 882 473w				6/48 = 2608
(404)	STAGE	4	Chauvet Strike 4 301w				2/260 = 772
(405)	STAGE	3	Chauvet Strike 4 301w				2/269 = 781
(406)	STAGE	2	Chauvet Strike 4 301w				2/278 = 790
(407)	STAGE	1	Chauvet Strike 4 301w				2/287 = 799
(408)	Pro Cat FOH	10	Altman Star Par WFL 575w			72	1/72 = 72
(409)	Pro Cat FOH	9	Altman Star Par WFL 575w			73	1/73 = 73
(410)	Pro Cat FOH	8	Altman Star Par WFL 575w			74	1/74 = 74
(411)	Pro Cat FOH	7	Altman Star Par WFL 575w			75	1/75 = 75
(412)	Pro Cat FOH	5	Altman Star Par WFL 575w			78	1/78 = 78
(413)	Pro Cat FOH	4	Altman Star Par WFL 575w			79	1/79 = 79

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dim	Address
(414)	Pro Cat FOH	3	Altman Star Par WFL 575w			80	1/80 = 80
(415)	Pro Cat FOH	2	Altman Star Par WFL 575w			81	1/81 = 81
(416)	Line Set 7	9	Altman PAR 64 WFL 1kW			17	1/17 = 17
(417)	Line Set 7	8	Altman PAR 64 WFL 1kW			16	1/16 = 16
(418)	Line Set 7	7	Altman PAR 64 WFL 1kW			15	1/15 = 15
(419)	Line Set 7	6	Altman PAR 64 WFL 1kW			14	1/14 = 14
(420)	Line Set 7	4	Altman PAR 64 WFL 1kW			11	1/11 = 11
(421)	Line Set 7	3	Altman PAR 64 WFL 1kW			10	1/10 = 10
(422)	Line Set 7	2	Altman PAR 64 WFL 1kW			9	1/9 = 9
(423)	Line Set 7	1	Altman PAR 64 WFL 1kW			8	1/8 = 8
(501)	STAGE	9	Chauvet Geyser RGB 760w				2/181 = 693
(502)	STAGE	8	Chauvet Geyser RGB 760w				2/189 = 701
(701)	Line Set 19	H3	3 Cell Sky Cyc Left 1.5kW	Red Cyc	 R124	64	1/64 = 64
(702)	Line Set 19	H2	3 Cell Sky Cyc Center 1.5kW	Green Cyc	 R126	63	1/63 = 63
(703)	Line Set 19	H1	3 Cell Sky Cyc Right 1.5kW	Blue Cyc	 R68	62	1/62 = 62
(704)	Line Set 19	23	Cyc 1 Cell 1kW	Red Cyc	 R124	61	1/61 = 61
	"	G3	Cyc L 1kW	"	"	"	"
(705)	Line Set 19	22	Cyc 1 Cell 1kW	Green Cyc	 R126	60	1/60 = 60
	"	G2	Cyc C 1kW	"	"	"	"
(706)	Line Set 19	20	Cyc 1 Cell 1kW	Blue Cyc	 R68	59	1/59 = 59
	"	G1	Cyc R 1kW	"	"	"	"

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dim	Address
(707)	Line Set 19	E3	Cyc L 1kW	Red Cyc	 R124	58	1/58 = 58
	"	F3	"	"	"	"	"
(708)	Line Set 19	E2	Cyc C 1kW	Green Cyc	 R126	57	1/57 = 57
	"	F2	"	"	"	"	"
(709)	Line Set 19	E1	Cyc R 1kW	Blue Cyc	 R68	56	1/56 = 56
	"	F1	"	"	"	"	"
(710)	Line Set 19	C3	Cyc L 1kW	Red Cyc	 R124	55	1/55 = 55
	"	D3	"	"	"	"	"
(711)	Line Set 19	C2	Cyc C 1kW	Green Cyc	 R126	54	1/54 = 54
	"	D2	"	"	"	"	"
(712)	Line Set 19	C1	Cyc R 1kW	Blue Cyc	 R68	53	1/53 = 53
	"	D1	"	"	"	"	"
(713)	Line Set 19	6	Cyc 1 Cell 1kW	Red Cyc	 R124	52	1/52 = 52
	"	B3	Cyc L 1kW	"	"	"	"
(714)	Line Set 19	4	Cyc 1 Cell 1kW	Green Cyc	 R126	51	1/51 = 51
	"	B2	Cyc C 1kW	"	"	"	"
(715)	Line Set 19	3	Cyc 1 Cell 1kW	Blue Cyc	 R68	50	1/50 = 50
	"	B1	Cyc R 1kW	"	"	"	"
(716)	Line Set 19	A3	3 Cell Sky Cyc Left 1.5kW	Red Cyc	 R124	48	1/48 = 48
(717)	Line Set 19	A2	3 Cell Sky Cyc Center 1.5kW	Green Cyc	 R126	47	1/47 = 47
(718)	Line Set 19	A1	3 Cell Sky Cyc Right 1.5kW	Blue Cyc	 R68	46	1/46 = 46

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dim	Address
(1021)	Bal Electric	1	ETC ColorSource Spot 19deg 160w				2/500 = 1012
	"	2	"				"

DMX Address Hookup

Address	Chan	Position	U#	Inst Type & Access & Load	Purpose	Clr & G
2/1 = 513	(110)	2nd Cat	1	VL 880 800w		
2/31 = 543	(109)	2nd Cat	2	VL 880 800w		
2/121 = 633	(15)	Line Set 16	1	Chauvet COLORado 2 Quad Zoom Tour 205w		
2/133 = 645	(14)	Line Set 16	21	Chauvet COLORado 2 Quad Zoom Tour 205w		
2/145 = 657	(5)	Pro Cat FOH	1	Chauvet COLORado 2 Quad Zoom Tour 205w		
2/157 = 669	(4)	Pro Cat FOH	6	Chauvet COLORado 2 Quad Zoom Tour 205w		
2/169 = 681	(3)	Pro Cat FOH	11	Chauvet COLORado 2 Quad Zoom Tour 205w		
2/181 = 693	(501)	STAGE	9	Chauvet Geyser RGB 760w		
2/189 = 701	(502)	STAGE	8	Chauvet Geyser RGB 760w		
2/197 = 709	(106)	STAGE	7	Chauvet Legend 330SR Spot 514w		
2/218 = 730	(107)	STAGE	6	Chauvet Legend 330SR Spot 514w		
2/239 = 751	(108)	STAGE	5	Chauvet Legend 330SR Spot 514w		
2/260 = 772	(404)	STAGE	4	Chauvet Strike 4 301w		
2/269 = 781	(405)	STAGE	3	Chauvet Strike 4 301w		
2/278 = 790	(406)	STAGE	2	Chauvet Strike 4 301w		
2/287 = 799	(407)	STAGE	1	Chauvet Strike 4 301w		
2/500 = 1012	(1021)	Bal Electric	1	ETC ColorSource Spot 19deg 160w		
	"	"	2	"		
3/1 = 1025	(401)	Line Set 7	5	Martin Atomic 3000 DMX 3kW		
4/1 = 1537	(204)	Line Set 8	1	Chauvet Q Wash 419 Z 322w		

DMX Address Hookup

Address	Chan	Position	U#	Inst Type & Access & Load	Purpose	Clr & G
4/22 = 1558	(103)	Line Set 8	2	Chauvet Legend 330SR Spot 514w		
4/43 = 1579	(308)	Line Set 8	3	Chauvet COLORdash Batten Hex 8 86w		
4/96 = 1632	(7)	Line Set 8	4	Chauvet COLORdash Par Hex 12 96w		
4/104 = 1640	(307)	Line Set 8	5	Chauvet COLORdash Batten Hex 8 86w		
4/157 = 1693	(306)	Line Set 8	6	Chauvet COLORdash Batten Hex 8 86w		
4/210 = 1746	(203)	Line Set 8	7	Chauvet Q Wash 419 Z 322w		
4/231 = 1767	(305)	Line Set 8	8	Chauvet COLORdash Batten Hex 8 86w		
4/284 = 1820	(102)	Line Set 8	9	Chauvet Legend 330SR Spot 514w		
4/305 = 1841	(304)	Line Set 8	10	Chauvet COLORdash Batten Hex 8 86w		
4/358 = 1894	(202)	Line Set 8	11	Chauvet Q Wash 419 Z 322w		
4/379 = 1915	(303)	Line Set 8	12	Chauvet COLORdash Batten Hex 8 86w		
4/432 = 1968	(302)	Line Set 8	13	Chauvet COLORdash Batten Hex 8 86w		
4/485 = 2021	(6)	Line Set 8	14	Chauvet COLORdash Par Hex 12 96w		
5/1 = 2049	(201)	Line Set 8	17	Chauvet Q Wash 419 Z 322w		
5/22 = 2070	(101)	Line Set 8	16	Chauvet Legend 330SR Spot 514w		
5/43 = 2091	(301)	Line Set 8	15	Chauvet COLORdash Batten Hex 8 86w		
6/1 = 2561	(208)	Line Set 16	2	Chauvet Q Wash 419 Z 322w		
6/22 = 2582	(105)	Line Set 16	3	Chauvet Legend 330SR Spot 514w		

DMX Address Hookup

Address	Chan	Position	U#	Inst Type & Access & Load	Purpose	Clr & G
6/43 = 2603	(13)	Line Set 16	5	Chauvet SlimPAR Pro RGBA 90w		
6/48 = 2608	(403)	Line Set 16	4	Chauvet Strike 882 473w		
6/53 = 2613	(10)	Line Set 16	6	Chauvet SlimPAR Pro RGBA 90w		
6/58 = 2618	(13)	Line Set 16	7	Chauvet SlimPAR Pro RGBA 90w		
6/63 = 2623	(10)	Line Set 16	8	Chauvet SlimPAR Pro RGBA 90w		
6/68 = 2628	(12)	Line Set 16	9	Chauvet SlimPAR Pro RGBA 90w		
6/73 = 2633	(9)	Line Set 16	10	Chauvet SlimPAR Pro RGBA 90w		
6/78 = 2638	(207)	Line Set 16	11	Chauvet Q Wash 419 Z 322w		
6/99 = 2659	(12)	Line Set 16	12	Chauvet SlimPAR Pro RGBA 90w		
6/104 = 2664	(9)	Line Set 16	13	Chauvet SlimPAR Pro RGBA 90w		
6/109 = 2669	(11)	Line Set 16	14	Chauvet SlimPAR Pro RGBA 90w		
6/114 = 2674	(8)	Line Set 16	15	Chauvet SlimPAR Pro RGBA 90w		
6/119 = 2679	(11)	Line Set 16	16	Chauvet SlimPAR Pro RGBA 90w		
6/124 = 2684	(402)	Line Set 16	18	Chauvet Strike 882 473w		
6/129 = 2689	(8)	Line Set 16	17	Chauvet SlimPAR Pro RGBA 90w		
6/134 = 2694	(104)	Line Set 16	19	Chauvet Legend 330SR Spot 514w		
6/155 = 2715	(205)	Line Set 16	20	Chauvet Q Wash 419 Z 322w		

TABLE OF CONTENTS

2nd Cat	1	Line Set 16	4
Pro Cat FOH	1	Line Set 19	5
Line Set 7	2	STAGE	6
Line Set 8	3	Bal Electric	6

2nd Cat

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Address	Dim
1		VL 880	800w		(110)	2/1 = 513	98
2		VL 880	800w		(109)	2/31 = 543	97

Pro Cat FOH

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Address	Dim
1		Chauvet COLORado 2 Quad Zoom Tour	205w		(5)	2/145 = 657	
2		Altman Star Par WFL	575w		(415)	1/81 = 81	81
3		Altman Star Par WFL	575w		(414)	1/80 = 80	80
4		Altman Star Par WFL	575w		(413)	1/79 = 79	79
5		Altman Star Par WFL	575w		(412)	1/78 = 78	78
6		Chauvet COLORado 2 Quad Zoom Tour	205w		(4)	2/157 = 669	
7		Altman Star Par WFL	575w		(411)	1/75 = 75	75
8		Altman Star Par WFL	575w		(410)	1/74 = 74	74
9		Altman Star Par WFL	575w		(409)	1/73 = 73	73
10		Altman Star Par WFL	575w		(408)	1/72 = 72	72
11		Chauvet COLORado 2 Quad Zoom Tour	205w		(3)	2/169 = 681	

Line Set 7

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Address	Dim
1		Altman PAR 64 WFL	1kW		(423)	1/8 = 8	8
2		Altman PAR 64 WFL	1kW		(422)	1/9 = 9	9
3		Altman PAR 64 WFL	1kW		(421)	1/10 = 10	10
4		Altman PAR 64 WFL	1kW		(420)	1/11 = 11	11
5		Martin Atomic 3000 DMX	3kW		(401)	3/1 = 1025	12
6		Altman PAR 64 WFL	1kW		(419)	1/14 = 14	14
7		Altman PAR 64 WFL	1kW		(418)	1/15 = 15	15
8		Altman PAR 64 WFL	1kW		(417)	1/16 = 16	16
9		Altman PAR 64 WFL	1kW		(416)	1/17 = 17	17


Line Set 8

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Address	Dim
1		Chauvet Q Wash 419 Z	322w		(204)	4/1 = 1537	
2		Chauvet Legend 330SR Spot	514w		(103)	4/22 = 1558	
3		Chauvet COLORdash Batten Hex 8	86w		(308)	4/43 = 1579	
4		Chauvet COLORdash Par Hex 12	96w		(7)	4/96 = 1632	
5		Chauvet COLORdash Batten Hex 8	86w		(307)	4/104 = 1640	
6		Chauvet COLORdash Batten Hex 8	86w		(306)	4/157 = 1693	
7		Chauvet Q Wash 419 Z	322w		(203)	4/210 = 1746	
8		Chauvet COLORdash Batten Hex 8	86w		(305)	4/231 = 1767	
9		Chauvet Legend 330SR Spot	514w		(102)	4/284 = 1820	
10		Chauvet COLORdash Batten Hex 8	86w		(304)	4/305 = 1841	
11		Chauvet Q Wash 419 Z	322w		(202)	4/358 = 1894	
12		Chauvet COLORdash Batten Hex 8	86w		(303)	4/379 = 1915	
13		Chauvet COLORdash Batten Hex 8	86w		(302)	4/432 = 1968	
14		Chauvet COLORdash Par Hex 12	96w		(6)	4/485 = 2021	
15		Chauvet COLORdash Batten Hex 8	86w		(301)	5/43 = 2091	
16		Chauvet Legend 330SR Spot	514w		(101)	5/22 = 2070	
17		Chauvet Q Wash 419 Z	322w		(201)	5/1 = 2049	

Line Set 16

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Address	Dim
1		Chauvet COLORado 2 Quad Zoom Tour	205w		(15)	2/121 = 633	
2		Chauvet Q Wash 419 Z	322w		(208)	6/1 = 2561	
3		Chauvet Legend 330SR Spot	514w		(105)	6/22 = 2582	
4		Chauvet Strike 882	473w		(403)	6/48 = 2608	
5		Chauvet SlimPAR Pro RGBA	90w		(13)	6/43 = 2603	
6		Chauvet SlimPAR Pro RGBA	90w		(10)	6/53 = 2613	
7		Chauvet SlimPAR Pro RGBA	90w		(13)	6/58 = 2618	
8		Chauvet SlimPAR Pro RGBA	90w		(10)	6/63 = 2623	
9		Chauvet SlimPAR Pro RGBA	90w		(12)	6/68 = 2628	
10		Chauvet SlimPAR Pro RGBA	90w		(9)	6/73 = 2633	
11		Chauvet Q Wash 419 Z	322w		(207)	6/78 = 2638	
12		Chauvet SlimPAR Pro RGBA	90w		(12)	6/99 = 2659	
13		Chauvet SlimPAR Pro RGBA	90w		(9)	6/104 = 2664	
14		Chauvet SlimPAR Pro RGBA	90w		(11)	6/109 = 2669	
15		Chauvet SlimPAR Pro RGBA	90w		(8)	6/114 = 2674	
16		Chauvet SlimPAR Pro RGBA	90w		(11)	6/119 = 2679	
17		Chauvet SlimPAR Pro RGBA	90w		(8)	6/129 = 2689	
18		Chauvet Strike 882	473w		(402)	6/124 = 2684	
19		Chauvet Legend 330SR Spot	514w		(104)	6/134 = 2694	
20		Chauvet Q Wash 419 Z	322w		(205)	6/155 = 2715	
21		Chauvet COLORado 2 Quad Zoom Tour	205w		(14)	2/133 = 645	

Line Set 19

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Address	Dim
3	Blue Cyc	Cyc 1 Cell	1kW	 R68	(715)	1/50 = 50	50
4	Green Cyc	Cyc 1 Cell	1kW	 R126	(714)	1/51 = 51	51
6	Red Cyc	Cyc 1 Cell	1kW	 R124	(713)	1/52 = 52	52
20	Blue Cyc	Cyc 1 Cell	1kW	 R68	(706)	1/59 = 59	59
22	Green Cyc	Cyc 1 Cell	1kW	 R126	(705)	1/60 = 60	60
23	Red Cyc	Cyc 1 Cell	1kW	 R124	(704)	1/61 = 61	61
A1	Blue Cyc	3 Cell Sky Cyc Right	1.5kW	 R68	(718)	1/46 = 46	46
A2	Green Cyc	3 Cell Sky Cyc Center	1.5kW	 R126	(717)	1/47 = 47	47
A3	Red Cyc	3 Cell Sky Cyc Left	1.5kW	 R124	(716)	1/48 = 48	48
B1	Blue Cyc	Cyc R	1kW	 R68	(715)	1/50 = 50	50
B2	Green Cyc	Cyc C	1kW	 R126	(714)	1/51 = 51	51
B3	Red Cyc	Cyc L	1kW	 R124	(713)	1/52 = 52	52
C1	Blue Cyc	Cyc R	1kW	 R68	(712)	1/53 = 53	53
C2	Green Cyc	Cyc C	1kW	 R126	(711)	1/54 = 54	54
C3	Red Cyc	Cyc L	1kW	 R124	(710)	1/55 = 55	55
D1	Blue Cyc	Cyc R	1kW	 R68	(712)	1/53 = 53	53
D2	Green Cyc	Cyc C	1kW	 R126	(711)	1/54 = 54	54
D3	Red Cyc	Cyc L	1kW	 R124	(710)	1/55 = 55	55
E1	Blue Cyc	Cyc R	1kW	 R68	(709)	1/56 = 56	56
E2	Green Cyc	Cyc C	1kW	 R126	(708)	1/57 = 57	57
E3	Red Cyc	Cyc L	1kW	 R124	(707)	1/58 = 58	58
F1	Blue Cyc	Cyc R	1kW	 R68	(709)	1/56 = 56	56
F2	Green Cyc	Cyc C	1kW	 R126	(708)	1/57 = 57	57
F3	Red Cyc	Cyc L	1kW	 R124	(707)	1/58 = 58	58
G1	Blue Cyc	Cyc R	1kW	 R68	(706)	1/59 = 59	59
G2	Green Cyc	Cyc C	1kW	 R126	(705)	1/60 = 60	60
G3	Red Cyc	Cyc L	1kW	 R124	(704)	1/61 = 61	61
H1	Blue Cyc	3 Cell Sky Cyc Right	1.5kW	 R68	(703)	1/62 = 62	62
H2	Green Cyc	3 Cell Sky Cyc Center	1.5kW	 R126	(702)	1/63 = 63	63
H3	Red Cyc	3 Cell Sky Cyc Left	1.5kW	 R124	(701)	1/64 = 64	64

STAGE

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Address	Dim
1		Chauvet Strike 4	301w		(407)	2/287 = 799	
2		Chauvet Strike 4	301w		(406)	2/278 = 790	
3		Chauvet Strike 4	301w		(405)	2/269 = 781	
4		Chauvet Strike 4	301w		(404)	2/260 = 772	
5		Chauvet Legend 330SR Spot	514w		(108)	2/239 = 751	
6		Chauvet Legend 330SR Spot	514w		(107)	2/218 = 730	
7		Chauvet Legend 330SR Spot	514w		(106)	2/197 = 709	
8		Chauvet Geyser RGB	760w		(502)	2/189 = 701	
9		Chauvet Geyser RGB	760w		(501)	2/181 = 693	

Bal Electric

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Address	Dim
1		ETC ColorSource Spot 19deg	160w		(1021)	2/500 = 1012	
2		ETC ColorSource Spot 19deg	160w		(1021)	2/500 = 1012	